

# Influence of Saddle Pads on a Well Fitting Equine Saddle

Annette Gavin<sup>2</sup>, Anne Crowell<sup>1,3</sup>



1) George Mason University, 2) Hastilow Competition Saddles USA, 3) Pegasus Biomechanics

## INTRODUCTION

The importance of saddle fit is a topic that has gained a great deal of prominence in the last two decades. There is a high correlation between poor saddle fit and poor equine performance (Harman, 2004). The modern English style saddle is technically designed to be used without any additional padding. In practice, though, the vast majority of riders and trainers note that horses usually perform better when some type of saddle pad is placed between the horse's back and the saddle. The purpose of this study was to investigate the influence of saddle pads on the pressure distribution of a well fitted saddle.

## METHODS

A modern U.K. manufactured jumping saddle was fit to a 6 year old Thoroughbred cross mare (figure 6). The saddle was manufactured on a preformed flexible saddle tree. The saddle fit was assessed as excellent by a U.K. Society of Master Saddlers, Qualified Saddle Fitter. The saddle was then pressure tested with no pad so a baseline assessment could be made. Next, pressure testing was done with the addition of various saddle pads to see if any changes in the pressure distribution occurred. Pressure testing was performed using the Pliance saddle test system (Novel, Inc. MN). All measurements were made with the horse at the walk. The rider was a 30 year old female of advanced riding ability, and a weight of 59 kg. The rider's ability to maintain a stable core and load the saddle evenly was assessed as excellent.

## RESULTS

In all, a total of 12 different commercially available saddle pads were tested. In every case but one, the saddle pads cause a reduction in the average peak pressure (table 1). The dyed soft pile sheepskin pad (figure 2) produced the best overall reduction in the avg. peak pressure (% diff = -40.0). The only pad that failed to reduce the avg. peak pressure was a pad that had 4 raised gel additions attached to a foam base (figure 4). This pad raised the average peak pressure by 10.0%. Visual inspection of the pressure map produced by this pad shows a spatial correlation between the location of the gel additions and areas of higher pressure (figure 5). Also, this pad reduced the contact area between the horse's back and the saddle from 1556.250 cm<sup>2</sup> to 1415.625cm<sup>2</sup>. It was the only pad tested that reduced the contact area. Results are listed in table 1.

Pad Type	Peak avg pressure (kPa)	% Diff
None	15.00	0
Sheepskin, dyed	9.00	-40.0
Sheepskin, undyed	9.50	-36.7
Memory foam	9.50	-36.7
Gel pad, high shear	9.75	-35.0
CC foam, thick *	10.00	-33.3
Quilted cotton	10.25	-31.7
HW quilted cotton**	11.25	-25.0
Nonslip CC foam*	11.50	-23.3
OC Foam***	12.00	-20.0
CC foam, thin	12.25	-18.3
CC foam, w/1 shim	13.25	-11.7
Foam with gel points	16.50	+10.0

Table 1: Lists pad type tested, maximum average peak pressure, and the % difference in peak pressures compare with the baseline. \*CC=closed cell, \*\* HW=high withered, \*\*\*OC=open cell.

## CONCLUSION

In all cases, with a single exception, the addition of a saddle pad reduced the maximum average peak pressure, and increased the pressure bearing area on the horse's back.

## FIGURES




Figure 1: Baseline scan, saddle at the walk with no pad.




Figure 2: Top performing dyed sheepskin pad.





Figure 3: Closed cell foam pad, thick.



Figures 4 & 5 : Pad with raised gel points (left), and associated pressure map (right). Note the spatial correlation between the raised gel points on the pad and the pressure map.




Figure 6: Baseline scan of saddle being performed using the Pliance® Saddle Test System.

## REFERENCES

Harman, J, The Horse's Pain Free Back, 1, 135-156.  
von Peinen et al, Equine Veterinary Journal, 42, 650-653, 2010.

## ACKNOWLEDGEMENTS

Many thanks to Peter Seitz, Susan Diekrager, Maria Pasquale, and Jake Shanley of Novel GmbH, and Dr. Qi Wei of George Mason University for their continued support of research in the area of equine biomechanics.